

R.P.A.D.

NO.CPRGHK/F/QC/1793/2018-19
Office of the Dean,
Chhatrapati Pramila Raje General
Hospital, Kolhapur.
Dt. 27/2/2019

Sub : Quotation for refilling of Gas ETO Cylinder with EO:CO₂ Mixture.

Sir,

Quotations are invited from authorised distributors for refilling of ETO Cylinder. Please quote your competitive rates in Indian Rupees only for the following items.

Sr. No.	Particulars	Rate Per Unit
1	Refilling of Gas ETO Cylinder with EO:CO ₂ Mixture Capacity : 20 Kgs. in to our cylinder EO 20% & Co2 80%)	

Terms and Conditions :

- 1) All rights are reserved by The Dean, C.P.R. General Hospital, Kolhapur to reject any or all quotations without assigning any reason.
- 2) Blank cylinders should be collected from concern department and delivered to concern department after inspection as well as refilling as per specification mentioned above and repairing if required. Accordingly quote the lowest possible charges for refilling, inspection and repairing including spares and consumables required.
- 3) Sealed quotation should reach to this office on or before Date :- 14 / 03 / 2019 up to 05-00 pm. positively. Quotation received after above mentioned date will not be entertained. This office is not liable for any delay of Post Office or Courier Agency or at any other conditions. **Sealed and signed Quotations must be filled on companies letter head.**
- 4) The rates quoted should be inclusive of service Tax, excise duty, GST, Transportation, Insurance, packing and forwarding charges etc., but not include L.B.T. duty. Rates should be within the market rate limits and should not be more than M.R.P. at any circumstances. At any stage of the quotation process even after completion of the process if it is found that the rates mentioned are more than the M.R.P., the supplier is responsible for refund the difference with interest to this office.
- 5) Attach the self attested photo copies of PAN Card, GST Registration Certificate, Shop Registration Certificate (Shop Act Licence etc.) Or **Any other registration or licence compulsory for your business.**
- 6) Please superscript the envelope with **"QUOTATION FOR THE REPAIRS OF Refilling of Gas ETO Cylinder"**

Dean,

Chhatrapati Pramilaraje General
Hospital, Kolhapur

Copy for Publishing on Wetsite

Professor And Head, Dept. of PSM,

Website Development Committee, C.P.R. Hospital, Kolhapur.