

Govt. Of Maharashtra  
Chhatrapati Pramila Rajee General Hospital, Kolhapur - 416002.

## Mahatma Jyotiba Phule Jan Aarogya Yojana.

Tel: (0231) 2641583

By Regd. A.D / U.P.C.

No. CPRGHK/

794 / 2025

Date : 28/12 /2025

To,

M/s. \_\_\_\_\_

**Subject :- Quotation Call For MJPJAY – CVTS**

**Reference :-** As per Sanctioned Notesheet Date :- / /2025.


Please arrange to give your lowest possible rate for the items mentioned below.

Sr. No.	Name of Item	Packing Size	MFG By	MRP	Quotated Rate Per Unit
1	Abgel Regular	1nos			
2	Coronary Shunts all size	1nos			
3	Curved metal tip Aortic Canullae 20Fr(Medtronic)	1nos			
4	Curved metal tip Aortic Canullae 22Fr(Medtronic)	1nos			
5	Endo Nasal tracheal flexo metalic Tube all size	1nos			
6	Fogarty No 4	1nos			
7	Fogarty No 3	1nos			
8	Haemofilter Adult	1nos			
9	Haemofilter Paediatirc	1nos			
10	IV albumin (Human) 20%	1nos			
11	IV Kabilyte 500ml	1nos			
12	IV Ringer (Plain) 500ml	1nos			
13	Plasma Filter Adult	1nos			
14	Plasma Filter Paediatric	1nos			
15	Umbilical tape (cotton tape 75cm x 3mm)	1nos			
16	Inj. Iohexol 350mg/ml (100ml) Omnipaque	1nos			
17	Inj. Iodixanol 320mg/ml (100ml) Visipaque	1nos			

**Terms & Condition as follows:-**

1. Rate should be inclusive of all taxes like GSTetc .
2. Material should be delivered at appropriate place and time as instructed by authority.
3. Material should be in good condition as per the specification.

4. Material will be inspected HOD CVTS Department/ Respective User Department and if material is found of inappropriate quality material will be rejected.
5. Attach Xerox copy of PAN, GST & FDA Drug Licence (attested) .
6. All rights are preserve in favour of The Dean , C.P.R. Hospital,Kolhapur.
7. Don't Quotate Rates of other items except as mention Dont miss serial of above list.
- 8.Organisation/ Distributor Require Authorization letter for submission of the quotation.
9. Submit printed quotation on own letter head with duly signed and stamped . Quotation should not be submitted without sample approval from HOD.Hand written quotation will be rejected.
10. Quotation submitted in any other format other than above will be rejected.
11. Valid WHO GMP certificate and WHO GMP Product list or COPP for quoted Items.
- 12.In House test report for purchased Item.
13. National Accreditation Board for Testing and Calibration Laboratories (NABL test report). Compulsary.
13. National Accreditation Board for Testing and Calibration Laboratories (NABL test report). Compulsary.
15. For Consumables: ISO 13485 (International Organisation for Standardisation), ISO 17025, ISO 45001, ISO 14001, GMP (Good Manufacturing Practices)/Schedule M, Quality Management System (QMS) for Medical Devices, Central Drug Standard Control Organisation (CDSCO) approved MD License.
16. Packing or Before Date :- 10/03/2025 Upto 5:00 Pm freight should be forwarded positively.
- 17.Sealed Quotations should reach this office i.e. on/before **Mahatma Jyotirav Phule Jan**

  
Dean,  
C. P. R. General Hospital,  
Kolhapur.