

Govt. Of Maharashtra  
Chhatrapati Pramila Raje General Hospital, Kolhapur - 416002.

## Mahatma Jyotiba Phule Jan Aarogya Yojana.

Tel: (0231) 2641583

By Regd. A.D / U.P.C.

No. CPRGHK/

669 / 2025

Date : 17 / 12 / 2025

To,

M/s. \_\_\_\_\_

**Subject :- Quotation Call For MJPJAY – CVTS**

**Reference :-** As per Sanctioned Notesheet Date :- / /2025.

Please arrange to give your lowest possible rate for the items mentioned below.

Sr. No.	Name of Item	Packing Size	MFG By	MRP	Quoted Rate Per Unit
1	5cc Luer lock Syringe	1 nos			
2	10cc Luer lock Syringe	1 nos			
3	6F Vascular Snear 20mm (cook)	1 nos			
4	6F Vascular Snear 25mm (cook)	1 nos			
5	Balloon Inflation Device	1 nos			
6	Balloon Inflation Device 40atm	1 nos			
7	Cutting Balloon (All size)	1 nos			
8	Diagnostic Catheter MPA 125 (All size)	1 nos			
9	Destination System All size	1 nos			
10	Diagnostic Catheter All size	1 nos			
11	Femoral Puncture Needle	1 nos			
12	12F Femoral Sheath	1 nos			
13	Femoral Shcath All size	1 nos			
14	Guideliner All Size	1 nos			
15	Inflation Device 40atm	1 nos			
16	Manifold (Two Port white Colour)	1 nos			
17	Padiatric Sheath All size	1 nos			
18	PTCA wire Fielder FC 180cn (J Tip)	1 nos			
19	PTCA wire Runthrough NS Extra Floppy	1 nos			
20	Swan Ganz Catheter	1 nos			
21	Terumo wire 0.032 x 150cm J tip	1 nos			
22	Terumo wire 0.035 x 150cm J tip	1 nos			



23	Terumo wire 0.035 x 260cm J tip	1 nos			
24	Terumo wire 0.035 x 150cm S tip	1 nos			
25	Terumo wire 0.035 x 260cm S tip	1 nos			
26	Writable CD with cover	1 nos			
27	Writable DVD with cover	1 nos			

**Terms & Condition as follows:-**

1. Rate should be inclusive of all taxes like GSTetc .
2. Material should be delivered at appropriate place and time as instructed by authority.
3. Material should be in good condition as per the specification.
4. Material will be inspected HOD CVTS Department/ Respective User Department and if material is found of inappropriate quality material will be rejected.
5. Attach Xerox copy of PAN, GST & FDA Drug Licence (attested) .
6. All rights are preserve in favour of The Dean , C.P.R. Hospital,Kolhapur.
7. Don't Quotate Rates of other items except as mention Dont miss serial of above list.
- 8.Organisation/ Distributor Require Authorization letter for submission of the quotation.
9. Submit printed quotation on own letter head with duly signed and stamped . Quotation should not be submitted without sample approval from HOD.Hand written quotation will be rejected.
10. Quotation submitted in any other format other than above will be rejected.
11. Valid WHO GMP certificate and WHO GMP Product list or COPP for quoted Items.
- 12.In House test report for purchased Item.
13. National Accreditation Board for Testing and Calibration Laboratories (NABL test report). Compulsary.
14. Non Conviction certificate issued from concern FDA for Maufacturer/Distributor.
15. For Consumables: ISO 13485 (International Organisation for Standardisation), ISO 17025, ISO 45001, ISO 14001, GMP (Good Manufacturing Practices)/Schedule M, Quality Management System (QMS) for Medical Devices, Central Drug Standard Control Organisation (CDSCO) approved MD License.
- 16.Packing or Before Date :- 25/02/2025 Upto 5.00 Pm freight should be forwarded positively.
- 17.Sealed Quotations should reach this office i.e. on/before Mahatma Jyotirav Phule Jan Aarogya Yojana, C.P.R.HOSPITAL , KOLHAPUR Dt.:- 25/02/2025 , Upto 5.00 pm.

  
Dean,

C. P. R. General Hospital,  
Kolhapur.